

Rockingham County Department of Public Health

Permit Number AW120402-1 Pump

Improvement Permit 12-4-07 Expiration Date -- Transferable  
 Authorization for Wastewater System Construction (Expires five years from date of issuance of Improvement Permit)  
 Operation Permit III System Classification Type \_\_\_\_\_ Authorization to Connect to Wastewater System

TAX PIN NUMBER: 14656901 APPLICANT NAME: PULLIAM THOMAS R

PROPERTY INFORMATION

OWNER INFORMATION

Road Name: TOWN CREEK RD - 268  
 Subd/Park:  
 Section :  
 Lot # :  
 Lot Size : 80


PULLIAM THOMAS R  
 219 WOODLAND DRIVE  
 EDEN NC 27288  
 336 623 9100

Water Supply : PRIVATE WELL

HWY 14 WEST TURN RT ON TOWN CREEK RD GO 2 MI PROPERTY ON LT HAND S  
 IDE ACROSS FROM BLUE HOUSE #268 ON MAILBOX

<input checked="" type="checkbox"/> House <u>3</u> #bedrooms _____ Singlewide <u>4</u> #people _____ Doublewide <input checked="" type="checkbox"/> basement _____ Commercial _____ basement w/ _____ Food Service plumbing _____ Seats _____ addition _____ Other _____  <b>TYPE SYSTEM</b> <input checked="" type="checkbox"/> New _____ Repair _____ Expansion <input checked="" type="checkbox"/> Conventional _____ Existing _____ L.P.P. <input checked="" type="checkbox"/> Pump _____ SaproLite .1956(6) _____ _____ Innovative _____ _____ Other _____	<b>IMP NAME</b> _____ <b>DATE</b> _____  _____ <b>INSTALLER</b> _____ <b>INSTALLATION CONDITIONS</b> _____ _____ _____ _____ _____ _____ <b>INSTALL ON CONTOUR</b> <b>LANDSCAPE PROMPTLY</b>	<table border="1"> <thead> <tr> <th>LAYOUT</th> <th>SPECIFICATIONS</th> <th>INSTALLED</th> </tr> </thead> <tbody> <tr> <td><u>1000</u></td> <td>Septic Tank</td> <td>_____</td> </tr> <tr> <td><u>1000</u></td> <td>Pump Tank</td> <td>_____</td> </tr> <tr> <td><u>1200</u></td> <td>Drainfield sq ft</td> <td>_____</td> </tr> <tr> <td><u>pr. well</u></td> <td>Water Supply</td> <td>_____</td> </tr> <tr> <td><u>1</u></td> <td># of lines</td> <td>_____</td> </tr> <tr> <td><u>400'</u></td> <td>Total length of lines</td> <td>_____</td> </tr> <tr> <td><u>24"</u></td> <td>Trench depth</td> <td>_____</td> </tr> <tr> <td><u>36"</u></td> <td>Trench width</td> <td>_____</td> </tr> <tr> <td><u>6"</u></td> <td>Depth of rock below pipe</td> <td>_____</td> </tr> <tr> <td><u>12"</u></td> <td>Total rock depth</td> <td>_____</td> </tr> <tr> <td><u>215'</u></td> <td>Distance to foundation</td> <td>_____</td> </tr> <tr> <td><u>210'</u></td> <td>Distance to property lines</td> <td>_____</td> </tr> <tr> <td><u>2100'</u></td> <td>Distance to well</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>Watershed</td> <td>_____</td> </tr> </tbody> </table>	LAYOUT	SPECIFICATIONS	INSTALLED	<u>1000</u>	Septic Tank	_____	<u>1000</u>	Pump Tank	_____	<u>1200</u>	Drainfield sq ft	_____	<u>pr. well</u>	Water Supply	_____	<u>1</u>	# of lines	_____	<u>400'</u>	Total length of lines	_____	<u>24"</u>	Trench depth	_____	<u>36"</u>	Trench width	_____	<u>6"</u>	Depth of rock below pipe	_____	<u>12"</u>	Total rock depth	_____	<u>215'</u>	Distance to foundation	_____	<u>210'</u>	Distance to property lines	_____	<u>2100'</u>	Distance to well	_____	_____	Watershed	_____
LAYOUT	SPECIFICATIONS	INSTALLED																																													
<u>1000</u>	Septic Tank	_____																																													
<u>1000</u>	Pump Tank	_____																																													
<u>1200</u>	Drainfield sq ft	_____																																													
<u>pr. well</u>	Water Supply	_____																																													
<u>1</u>	# of lines	_____																																													
<u>400'</u>	Total length of lines	_____																																													
<u>24"</u>	Trench depth	_____																																													
<u>36"</u>	Trench width	_____																																													
<u>6"</u>	Depth of rock below pipe	_____																																													
<u>12"</u>	Total rock depth	_____																																													
<u>215'</u>	Distance to foundation	_____																																													
<u>210'</u>	Distance to property lines	_____																																													
<u>2100'</u>	Distance to well	_____																																													
_____	Watershed	_____																																													

AUTHORIZATION FOR WASTEWATER SYSTEM CONSTRUCTION OPERATION PERMIT



Signed: Angela Wyatt Date: 12-4-07 Signed: \_\_\_\_\_ Date: \_\_\_\_\_

**APPEALS:** By written petition to the Office of Administrative Hearings, 6714 Mail Service Ctr., Raleigh, North Carolina 27699-6714. In accordance with GS.150B-23(a) THIS PERMIT may be suspended or revoked upon a finding that a violation of ...this Chapter, The Rules... or a condition imposed upon the permit has occurred...Also upon a finding that its issuance was based on incorrect or inadequate information...GS.130A-23(a)(c)(d). Septic Tanks require effluent filters, and access devices... GS.130A-335.1. EH09TH96.SAM